

PUBLICATIONS SCIENTIFIQUES DE FRANCIS ROCCHICCIOLI

Maître de Conférences des Universités - Praticien Hospitalier

Docteur ès sciences physiques et Pharmacien



75. Gonzalez F, Bessoule JJ, Rocchiccioli F, Manon S, Petit PX. Role of cardiolipin on tBid and tBid/Bax-effects on yeast mitochondria. *Cell Death Differ* **12**, 6509-67 (2005).
74. Benhamida S, Pflumio F, Dubart-Kupperschmitt A, Zhao-Emonet JC, Cavazzana-Calvo M, Rocchiccioli F, Fichelson S, Aubourg P, Charneau P, Cartier N. Transduced CD34(+) cells from adrenoleukodystrophy patients with HIV-derived vector mediate long-term engraftment of NOD/SCID mice. *Mol Ther* **7**, 317-24 (2003).
73. Kalach N, Rocchiccioli F, de Boissieu D, Benhmou PH, Dupont C. Intestinal permeability in children: variation with age and reliability in the diagnosis of cow's milk allergy. *Acta Paediatr* **90**, 499-504 (2001).
72. Cartier N, Guidoux S, Rocchiccioli F, Aubourg P. Simvastatin does not normalize very long chain fatty acids in adrenoleukodystrophy mice. *FEBS Lett* **478**, 205-208 (2000).
71. Laureti S, Aubourg P, Calcinaro F, Rocchiccioli F, Casucci G, Angeletti G, Brunetti P, Lernmark A, Santeusano F, Falorni A. Etiological diagnosis of primary adrenal insufficiency using an original flowchart of immune and biochemical markers. *J Clin Endocrinol Metab* **83**, 3163-8 (1998).
70. Courillon F, Gerhardt MF, Myara A, Rocchiccioli F, Trivin F. The optimized use of gas chromatography-mass spectrometry and high performance liquid chromatography to analyse the serum bile acids of patients with metabolic cholestasis and peroxisomal disorders. *Eur J Clin Chem Clin Biochem* **35**, 919-22 (1997).
69. de Boissieu D, Matarazzo P, Rocchiccioli F, Dupont C. Multiple food allergy: a possible diagnosis in breastfed infants. *Acta Paediatr* **86**, 1042-6 (1997).

68. Fardeau ML, Ollivier B, Patel BK, Magot M, Thomas P, Rimbault A, Rocchiccioli F, Garcia JL. *Thermogata hypogea* sp., a xylanolytic, thermophilic bacterium from an oil-producing well. *Int J Sys Bacteriol* **47**, 1013-9 (1997).
67. Laforêt P, Eymard B, Lombès A, Duboc D, Jehenson P, Rocchiccioli F, Chaussain M, Chateau D, Brunet P, Fardeau M. Intolérance à l'effort par déficit en phosphorylase kinase musculaire. Apport des investigations métaboliques in vivo. *Rev Neurol (Paris)* **152**, 458-64 (1996).
66. Guezennec JG, Dussauze J, Bian M, Rocchiccioli F, Ringelberg D, Hedrick DB, White DC. Bacterial community structure in sediments from Guaymas basin, gulf of California, as determined by analysis of phospholipid ester-linked fatty acids. *J Mar Biotechnol* **4**, 165-75 (1996).
65. Rencurel F, Waeber G, Antoine B, Rocchiccioli F, Maulard P, Girard J, Leturque A. Requirement of glucose metabolism for regulation of glucose transporter type 2 (GLUT2) gene expression in liver. *Biochem J* **314**, 903-9 (1996).
64. de Boissieu D, Rocchiccioli F, Kalach N, Bougnères PF. Ketone body turnover at term and in premature newborns in the first 2 weeks after birth. *Biol Neonate* **67**, 84-93 (1995).
63. Cartier N, Lopez J, Moullier P, Rocchiccioli F, Rolland MO, Jorge P, Mosser J, Mandel JL, Bougnères PF, Danos O, Aubourg P. Retroviral-mediated gene transfer corrects very-long-chain fatty acid metabolism in adrenoleukodystrophy fibroblasts. *Proc Nat Acad Sci USA* **92**, 1674-8 (1995).
62. Bougnères PF, Rocchiccioli F, Nurjhan N, Zeller J. Stable isotope determination of plasma lactate conversion into glucose in fasting infants. *Am J Physiol* **268**, E652-E659 (1995).
61. Butel MJ, Rimbault A, Khelifa N, Champion G, Szylit O, Rocchiccioli F. Formation of 2-hydroxy-4-methylpentanoic acid from L-leucine by *Clostridium butyricum*. *FEMS Microbiol Lett* **132**, 171-6 (1995).
60. Gelot A, Vallat JM, Tabaraud F, Rocchiccioli F. Axonal neuropathy and late detection of Refsum's disease. *Muscle & Nerve* **18**, 667-70 (1995).
59. Guezennec JG, Rimbault A, Godfroy A, Fromage M, Marec F, Rocchiccioli F. Acides organiques produits par une archaébactérie anaérobie hyperthermophile soufre-dépendante. *Oceanologica Acta*, **17**, 55-61 (1994).
58. Cartier N, Lepetit N, Rocchiccioli F, Bougnères PF. Déficit en acyl-CoA déshydrogénase à chaîne moyenne: apport de la biologie moléculaire. *Arch Fr Pédiatr* **1**, 243-8 (1994).
57. Rocchiccioli F, Auclair M, Bougnères PF. Determination of ¹³C enrichment of plasma glucose using the gas chromatography-mass spectrometry of its 1,2-5,6-diisopropylidene-3-O-acetyl- α -furanosyl derivative. *Anal Biochem* **218**, 358-63 (1994).
56. Rimbault A, Guezennec J, Fromage M, Niel P, Godfroy A, Rocchiccioli F. Organic acids associated with cultures of thermophilic sulfur-dependent archaebacterium: analysis by gas chromatography-mass spectrometry as their *tert*-butyldimethylsilyl derivatives. *J Microbiol Meth* **18**, 329-38 (1993).
55. Tranchant C, Aubourg P, Mohr M, Rocchiccioli F, Zaenker C, Warter JM. A new peroxisomal disease with impaired phytanic and pipercolic acids oxidations. *Neurology* **43**, 2044-8 (1993).

54. Aubourg P, Kremser K, Rolland MO, Rocchiccioli F, Singh I. Pseudo Infantile Refsum disease: catalase deficient peroxisomal particles with partial deficiency of plasmalogen synthesis and oxidation of fatty acids. *Pediatr Res* **34**, 270-6 (1993).
53. Aubourg P, Adamsbaum C, Lavallard-Rousseau MC, Rocchiccioli F, Cartier N, Jambaqué I, Jakobezak C, Lemaitre A, Boureau F, Wolf C, Bougnères PF. A two-year trial of oleic and erucic acids ("Lorenzo's oil") as treatment for adrenomyeloneuropathy. *N Engl J Med* **329**, 745-52 (1993).
52. Poenaru L, Akli S, Rocchiccioli F, Eydoux P, Zamet P. Human β -mannosidosis: a 3-year-old boy with speech impairment and emotional instability. *Clin Genet* **41**, 331-4 (1992).
51. Rocchiccioli F, Saniere M. Determination on the microscale of plasmatic lactic acid as its *t*-butyldimethylsilyl derivative by stable isotope dilution using capillary gas chromatography-mass spectrometry. *Rapid Comm Mass Spectrom* **6**, 781-3 (1992).
50. Bresson JL, Bader B, Rocchiccioli F, Mariotti A, Ricour C, Sachs C, Rey J. Protein metabolism kinetics and energy substrate utilization in infants parenterally fed different glucose to fat ratios. *Am J Clin Nutr* **54**, 370-6 (1991).
49. Brivet M, Tardieu M, Khellaf A, Boutron A, Rocchiccioli F, Haengeli CA, Lemonnier A. Riboflavin responsive ethylmalonic-adipic aciduria in a 9-month-old boy with liver cirrhosis, myopathy and encephalopathy. *J Inher Metab Dis* **14**, 333-7 (1991).
48. Wanders RJA, Ijlst L, Duran M, Jakobs C, de Klerk JBC, Przyrembel H, Rocchiccioli F, Aubourg P. Long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency: different clinical expression in three unrelated patients. *J Inher Metab Dis* **14**, 325-8 (1991).
47. Rocchiccioli F, Wanders RJA, Aubourg P, Vianey-Liaud C, Ijlst L, Fabre M, Cartier N, Bougnères PF. Deficiency of long chain 3-hydroxyacyl-CoA dehydrogenase: a cause of lethal myopathy and cardiomyopathy in early childhood. *Pediatr Res* **28**, 657-62 (1990).
46. Aubourg P, Blanche S, Jambaqué I, Rocchiccioli F, Kalifa G, Naud-Saudreau C, Rolland MO, Debré M, Chaussain JL, Griscelli C, Fischer A, Bougnères PF. Reversal of early neurologic and neuroradiologic manifestations of X-linked adrenoleukodystrophy by bone marrow transplantation. *N Engl J Med* **322**, 1860-6 (1990).
45. de Boissieu D, Checoury A, Barbet P, Francoual C, Rocchiccioli F, Badoual J. Hémochromatose périnatale. *Arch Fr Pediatr* **47**, 23-8 (1990).
44. Sanière M, El Hafa H, Le Merrer Y, Depezay JC, Rocchiccioli F. Synthesis of the enantiomers of 3-deuterium labelled lactic acid. *J Labelled Compounds* **29**, 305-12 (1990).
43. Bougnères PF, Castano L, Rocchiccioli F, Pham Gia H, Leluyer B, Ferré P. Medium-chain fatty acids increase glucose production in normal and low birth weight newborns. *Am J Physiol* **256**, E692-7 (1989).
42. Rocchiccioli F, Lepetit N, Bougnères PF. Capillary gas-liquid chromatographic-mass spectrometric measurement of plasma acetate content and [2-¹³C]-acetate enrichment. *Biomed Environ Mass Spectrom* **18**, 816-9 (1989).
41. Rocchiccioli F. Spectrométrie de masse et maladies métaboliques de l'enfant. *Méd Sci* **5**, 645-53 (1989).

40. Duboucher C, Rocchiccioli F, Lageron A, Negre A, Salvayre R, Bouissou H. Diffuse storage of vegetal hydrocarbons of dietary origin. Pathologic and chemical findings in a case. *Arch Pathol Lab Med* **113**, 423-8 (1989).
39. Lepetit N, Rocchiccioli F. Microdetermination of glucose content of plasma and its isotopic enrichment using capillary gas chromatography/ammonia chemical-ionization mass spectrometry. *Rapid Commun Mass Spectrom* **3**, 153-5 (1989).
38. Reinaud O, Delaforge M, Boucher JL, Rocchiccioli F, Mansuy D. Oxidative metabolism of linoleic acid by human leukocytes. *Biochem Biophys Res Commun* **161**, 883-91 (1989).
37. Boutin B, Routon MC, Rocchiccioli F, Mayer M, Leverger G, Robain O, Ponsot G, Arthuis M. Peripheral neuropathy associated with erythrophagocytic lymphohistiocytosis. *J Neurol Neurosurg Psych* **51**, 291-4 (1988).
36. Bresson JL, Bader B, Rocchiccioli F, Mariotti A, Ricour C, Sachs C, Rey J. Energy-source related differences in whole body protein metabolism measured in parenterally fed infants, by combined stable isotopic labelling and indirect calorimetry. *Pediatr Res* **23**, 587A (1988).
35. Chadeaux B, Augereau C, Rabier D, Rocchiccioli F, Boué J, Oury JF, Kamoun PP. Prenatal diagnosis of propionic acidemia in chorionic villi by direct assay of propionyl CoA carboxylase. *Prenat Diagn* **8**, 161-4 (1988).
34. Salvayre R, Nègre A, Rocchiccioli F, Duboucher C, Maret A, Vieu C, Lageron A, Polonovski J, Douste-Blazy L. A new human pathology with visceral accumulation of long-chain n-alkanes; tissue distribution of the stored compounds and pathophysiological hypotheses. *Biochim Biophys Acta* **958**, 477-83 (1988).
33. Poll-The BT, Saudubray JM, Rocchiccioli F, Scotto J, Roels F, Boué J, Ogier H, Dumez Y, Wanders RJA, Schutgens RBH, Schram AW, Tager JM. Prenatal diagnosis and confirmation of infantile Refsum's disease. *J Inher Metab Dis* **10 Suppl 2**, 229-32 (1987).
32. Laouari D, Rocchiccioli F, Dodu C, Kleinknecht C, Broyer M. Conversion efficiency of two branched-chain alpha keto-analogs in normal and uremic rats. *Kidney Int* **S22**, S186-90 (1987).
31. Dupont C, Rocchiccioli F, Bougnères PF. Urinary excretion of dicarboxylic acids in term newborns fed with 5% medium-chain triglycerides-enriched formula. *J Pediatr Gastroenterol Nutr* **6**, 313-4 (1987).
30. Rocchiccioli F, Lageron A, Duboucher C. Abnormal n-nonacosane storage in humans: detection by gas chromatography/mass spectrometry of tissue extracts. *Biomed Environ Mass Spectrom* **14**, 481-5 (1987).
29. Rocchiccioli F, Aubourg P, Choiset A. Immediate prenatal diagnosis of Zellweger syndrome by direct measurement of very long chain fatty acids in chorionic villus cells. *Prenat diagn* **7**, 349-54 (1987).
28. Rocchiccioli F. Biochimie du peroxysome. Dans: "La surrénale de l'enfant", Actualités en Endocrinologie Pédiatrique, Editions Sepe, 167-89 (1987).
27. Duboucher C, Escamilla R, Rocchiccioli F, Negre A, Lageron A, Miguères J. Pulmonary lipogranulomatosis due to excessive consumption of apples. *Chest* **90**, 611-2 (1986).
26. Aubourg P, Scotto J, Rocchiccioli F, Feldmann-Pautrat D, Robain O. Neonatal adrenoleukodystrophy. *J Neurol Neurosurg Psych* **49**, 77-86 (1986).

25. Rocchiccioli F, Aubourg P, Bougnères PF. Medium- and long-chain dicarboxylic aciduria in patients with Zellweger syndrome and neonatal adrenoleukodystrophy. *Pediatr Res* **20**, 62-6 (1986).
24. Rocchiccioli F, Cartier PH, Aubourg P, Bougnères PF. Mass spectrometric identification of 2-hydroxy-sebacic acid in the urines of patients with neonatal adrenoleukodystrophy and Zellweger syndrome. *Biomed Environ Mass Spectrom* **13**, 315-8 (1986).
23. Rocchiccioli F. Sensitive comparison of gas chromatography/mass spectrometry of 2-ketoacids as their quinoxalinol derivatives using chemical ionization of trimethylsilyl ethers versus electron impact of t-butyldimethylsilyl ethers. *Biomed Environ Mass Spectrom* **13**, 387-8 (1986).
22. Laouari D, Kamoun PP, Rocchiccioli F, Dodu C, Kleinknecht C, Broyer M. Efficiency of substitution of 2-ketoisocaproic acid and 2-ketoisovaleric acid in the diet of normal and uremic growing rats. *Am J Clin Nutr* **44**, 832-46 (1986).
21. Mitchell G, Ogier H, Munnich A, Saudubray JM, Shirrer J, Charpentier C, Rocchiccioli F. Neurological deterioration and lactic acidemia in biotinidase deficiency. A treatable condition mimicking Leigh's disease. *Neuropediatrics* **17**, 129-31 (1986).
20. Bougnères PF, Rocchiccioli F, Kolvraa S, Hadchouel M, Lalau-Keraly J, Chaussain JL, Wadman SK, Gregersen N. Medium-chain acyl-CoA dehydrogenase deficiency in two siblings with a Reye-like syndrome. *J Pediatr* **106**, 918-21 (1985).
19. Aubourg P, Robain O, Rocchiccioli F, Dancea S, Scotto J. The cerebro-hepato-renal (Zellweger) syndrome: lamellar lipid profiles in adrenocortical, hepatic mesenchymal, astrocyte cells and increased levels of very long chain fatty acids and phytanic acid in the plasma. *J Neurol Sci* **69**, 9-25 (1985).
18. Aubourg P, Bougnères PF, Rocchiccioli F. Capillary gas-liquid chromatographic mass spectrometric measurement of very long chain (C₂₂ to C₂₆) fatty acids in microliter samples of plasma. *J Lipid Res* **26**, 263-7 (1985).
17. Chalmers RA, Tracey BM, King GS, Pettit B, Rocchiccioli F, Saudubray JM, Gray RGF, Boué J, Keeling JW, Lindenbaum RH. The prenatal diagnosis of glutaric aciduria type II, using quantitative GC-MS. *J Inher Metab Dis* **8 Suppl 2**, 145-6 (1985).
16. Rouer E, Delaforge M, Rocchiccioli F, Gibson GG, Leroux JP. Spin state studies on cytochrome P-450 in liver microsomes from obese and diabetic animals. *Biochem Biophys Res Commun* **126**, 615-21 (1985).
15. Rocchiccioli F, Leroux JP, Cartier PH. Microdetermination of 2-ketoglutaric acid in plasma and cerebrospinal fluid by capillary gas chromatography mass spectrometry; application to Pediatrics. *Biomed Mass Spectrom* **11**, 24-8 (1984).
14. Rocchiccioli F, Cartier PH, Bougnères PF. Mass spectrometric identification of abnormal aromatic compounds in the urine of a child with Reye's like syndrome. *Biomed Mass Spectrom* **11**, 127-31 (1984).
13. Boué J, Chalmers RA, Tracey BM, Rocchiccioli F, Saudubray JM. Prenatal diagnosis of dysmorphic neonatal lethal type II glutaric aciduria. *Lancet* **1**, 846-7 (1984).
12. Ogier H, Saudubray JM, Labarthe JC, Coudé FX, Rocchiccioli F, Marsac C, Charpentier C. Hypoglycémies hypocétotiques d'origine héréditaire. *Méd Infant* **90**, 603-13 (1983).

11. Mitchell G, Saudubray JM, Benoit Y, Rocchiccioli F, Charpentier C, Ogier H, Boué J. Antenatal diagnosis of glutaric aciduria type II. *Lancet* **1**, 1099 (1983).
10. Schneider E, Kamoun P, Rocchiccioli F, Dy M. Libération, au cours des cultures leucocytaires mixtes secondaires, d'un facteur induisant une production de citrulline par les cellules de moelle osseuse. *C Rend Acad Sc* **296 Série III**, 515-20 (1983).
9. Munnich A, Saudubray JM, Taylor J, Charpentier C, Marsac C, Rocchiccioli F, Amedee-Manesme O, Coudé FX, Frezal J, Robinson BH. Congenital lactic acidosis, α -ketoglutaric aciduria and variant form of maple syrup urine disease due to a single enzyme defect: dihydrolipoyl dehydrogenase deficiency. *Acta Paediatr Scand* **71**, 167-71 (1982).
8. Rocchiccioli F, Leroux JP, Cartier P. Quantitation of 2-ketoacids in biological fluids by gas chromatography chemical ionization mass spectrometry of *O*-trimethylsilyl quinoxalinol derivatives. *Biomed Mass Spectrom* **8**, 160-4 (1981).
7. Rocchiccioli F, Leroux JP, Cartier P. Quantitative gas chromatography chemical ionization mass spectrometry of 2-keto-glutarate from urine as its *O*-trimethylsilyl-quinoxalinol derivative. *J Chromatogr* **226**, 325-32 (1981).
6. Munnich A, Saudubray JM, Coudé FX, Marsac C, Rocchiccioli F, Labarthe JC, Cazanave C, Laugier J, Charpentier C, Frezal J. Déficit multiple des carboxylases. Une maladie métabolique vitamino-dépendante curable par la biotine. *Arch Fr Pédiatr* **38**, 83-90 (1981).
5. Saudubray JM, Ogier H, Coudé FX, Marsac C, Rocchiccioli F, Charpentier C. Fasting hypoketotic hypoglycemia due to inhibition of fatty acids oxidation in glutaric aciduria type I. *Clin Res* **29**, 117A (1981).
4. Beaune P, Pileire B, Rocchiccioli F, Hardy M, Leroux JP, Cartier P. The use of formic acid in combined gas chromatography-mass spectrometry chemical ionization of short- and long-chain (C_2 - C_{20}) underivatized fatty acids. *Rec Dev Mass Spectrom Biochem Med* **6**, 1-6 (1980).
3. Frappier F, Rocchiccioli F, Jarreau FX, Païs M. Alcaloïdes peptidiques - X. Approche de la synthèse des alcaloïdes peptidiques. 1. Réactivité de *N*-tosyl-aziridines vis-à-vis de réactifs nucléophiles. *Tetrahedron* **34**, 2911-6 (1978).
2. Rocchiccioli F, Jarreau FX, Païs M. Alcaloïdes peptidiques - XI. Approche de la synthèse des alcaloïdes peptidiques. 2. Préparation d'ansapeptides à 15, 17 et 18 chaînons. *Tetrahedron* **34**, 2917-26 (1978).
1. Marchand J, Rocchiccioli F, Païs M, Jarreau FX. Alcaloïdes peptidiques. IX. Détermination de la configuration relative du fragment β -hydroxyleucine de la lasiodine B par la synthèse stéréospécifique des thréo et érythro- β -(*p*-tolylloxy)-leucines. *Bull Soc Chim Fr* 4699-706 (1972).